



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,909	07/11/2003	Richard Mousseau	ORACL-01076US1	4228
80548	7590	09/29/2008	EXAMINER	
Fliesler Meyer LLP			CAO, DIEM K	
650 California Street			ART UNIT	
14th Floor			PAPER NUMBER	
San Francisco, CA 94108			2194	
			MAIL DATE	DELIVERY MODE
			09/29/2008	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/617,909	<b>Applicant(s)</b> MOUSSEAU ET AL.	
	<b>Examiner</b> DIEM K. CAO	<b>Art Unit</b> 2194	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 June 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,16-19,21-25,27,28 and 33-41 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,16-19,21-25,27,28 and 33-41 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                        |                                                                   |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>1/7/08,6/12/08</u>                                            | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1, 16-19, 21-25, 27, 28 and 33-41 are pending. Applicant has amended claims 1, 16-19, 21-25, 27-28, 33-41 and canceled claims 20 and 29.

#### ***Claim Objections***

2. Claims 18, 22, 23, 24 and 27 are objected to because of the following informalities: Claims 18, 22, 23, and 24 all recite "a deployment descriptor", since the claim 1 is amended to add "a deployment descriptor", the above should use "the" or "said" instead of "a" before "deployment descriptor".

Claim 27 recites "a deployment descriptor" at line 4, and again at line 13, "the deployment descriptor" or "said deployment descriptor" should be used instead at line 13 of claim 27.

Appropriate correction is required.

#### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1, 16-19, 21-25, 27-28 and 33-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rana et al. (Java Junction) in view of Bea System (WebLogic Server 6.1).**

As to claim 1, Rana teaches a system for improved implementation of J2EE connector architecture on an application server, comprising:

- a resource adapter for an Enterprise Information System (resource adapter; page 4, paragraph 3),
- a set of system-level contracts between the resource adapter and an application server (System contracts; page 4, paragraphs 2-6),
- a Common Client Interface capable of providing a client API for Java applications and development tools to access the resource adapter (Common Client Interface; page 6, section “Common Client Interface”),
- a connection manager on the application server capable of managing and maintaining size of a pool of connections to the Enterprise Information System (The connection manager ... managing a pool of such connection; page 4, section ‘System contracts’), wherein the connection manager matches a request for a new connection to the Enterprise Information System, through the resource adapter, with an existing and available managed connection in the pool of connection (Application components request connections to an EIS through a resource adapter, the application server, on receiving a connection creation request, performs a look up in its pool of connections. If the application server finds a matching connection in the pool, then it uses it to satisfy the connection request; page 4, section ‘System contracts’), and wherein the connection manager creates a managed connections when an existing and available managed connection is not found (If there is not connection in the pool that can satisfy the connection request, the application server requests the resource adapter to create a new physical link to the underlying

EIS; page 4, section 'System contracts'),

- a set of packaging and development interfaces that provide the ability for resource adapters to plug into J2EE applications in a modular manner (Deployment and packaging protocol; page 6, section "Deployment and packaging protocol", and section "Development with J2EE Connectors"); and

- a deployment descriptor containing a configuration element for the resource adapter (The RAR file must also contain an additional element called the deployment descriptor. The deployment descriptor is an XML file that ties these elements together and captures the declarative information needed for configuring the adapter to the target operational environment at the deployment time; page 6, section "Deployment and packaging protocol"), the configuration element allowing a user to override default deployment values for the resource adapter (The person responsible for deployment uses a deployment tool to configure the resource adapter in a target operation environment. The configuration of a resource adapter is based on the properties defined in the deployment descriptor; page 6, section "Deployment and packaging protocol").

Rana does not teach creates a plurality of managed connections. However, Bea System teaches creates a plurality of managed connections (Number of managed connections WebLogic Server attempts to allocate when filling a request for a new connection; chapter "Configuration", page 8, section "Configurable weblogic-ra.xml Entities").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Bea System to the system of Rana because Bea System teaches more than one connections can be created instead of only one as used to before, so the

Art Unit: 2194

next time, in response to the request, available connection can be used to return instead of creating a new one, thus improve the performance of the system.

As to claim 16, Rana does not teach a deployment component adapted to automatically detect and deploy a resource adapter on the application server. Bea System teaches a deployment component adapted to automatically detect and deploy a resource adapter on the application server (The application directory is monitored during runtime of the WebLogic server and detects if a new .rar is added (causing deployment); chapter “Resource Adapter Deployment”, page 3, section Using the Applications Directory). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Bea System to the system of Rana because Bea System teaches a method to deploy a resource adapter automatically while the application server is running, and avoid the problem of stopping the application server (chapter “Resource Adapter Deployment”, page 3, section Using the Applications Directory).

As to claim 17, Rana does not teach the resource adapter further provides support for error logging and tracing. However, Bea System teaches teach the resource adapter further provides support for error logging and tracing (A resource adapter is required ... getLogWriter; chapter “Writing J2EE Connector Architecture – Compliant Resource Adapter”, page 2, lines 1-4).

As to claim 18, Rana does not teach a deployment descriptor containing a logging-enabled element capable of indicating whether the logging is enabled, as well as a log-filename

Art Unit: 2194

element capable of specifying the name of the file in which to write the logging information.

However, Bea System teaches a deployment descriptor containing a logging-enabled element capable of indicating whether the logging is enabled, as well as a log-filename element capable of specifying the name of the file in which to write the logging information (Flag to indicate ... ManagedConnection; chapter “Configuration”, page 9, lines 8-9).

As to claim 19, Rana does not teach the connection manager for enabling the resource adapter to provide services specific to the resource adapter, the services being selected from the group consisting of connection pooling, error logging and tracing, and security management. However, Bea System teaches a connection manager for enabling the resource adapter to provide services specific to the resource adapter, the services being selected from the group consisting of connection pooling, error logging and tracing, and security management (chapter “Configuration”, pages 8-9, section “Configuring weblogic-ra.xml Entities”).

As to claim 21, Rana teaches the connection manager can create physical connections to the Enterprise Information System (The connection manager ... to an EIS; page 4, paragraph 7). Rana does not explicitly teach the resource adapter is capable of having more than one connection manager instance per physical connection. However, Bea System teaches the resource adapter is capable of having more than one connection manager instance per physical connection (a resource adapter may ... and components; chapter “Writing J2EE Connector Architecture – Compliant Resource Adapter”, page 2, paragraph 6).

As to claim 22, Rana does not explicitly teach a deployment descriptor specific to the resource adapter allowing the resource adapter to be linked to a second resource adapter, the resource adapter capable of sharing resources with the second resource adapter, thereby preventing the duplication of resources and only requiring the resource adapter to modify a subset of resource adapter attributes. However, Bea System teaches deployment descriptor specific to the resource adapter allowing the resource adapter to be linked to a second resource adapter, the resource adapter capable of sharing resources with the second resource adapter, thereby preventing the duplication of resources and only requiring the resource adapter to modify a subset of resource adapter attributes (chapter “Overview of the WebLogic J2EE Connector Architecture”, page 6, paragraph 3 and chapter Configuration, page 5, section “Configuring the ra-link-ref Element”).

As to claim 23, Rana teaches a deployment descriptor for the resource adapter (Deployment descriptor; page 6, section “Deployment and packaging protocol”), wherein the set of system-level contracts includes a connection management contract (page 4, paragraph 6).

Rana does not teach the deployment descriptor contains connection pool parameters capable of setting parameters selected from the group consisting of: the initial number of managed connections the application server attempts to allocate at deployment time, the maximum number of managed connections the application server allows to be allocated at any one time, the number of managed connections the application server attempts to allocate when filling a request for a new connection, whether the application server attempts to reclaim unused managed connections to save system resources, the time the application server waits between



Art Unit: 2194

attempts to reclaim unused managed connections, the frequency of time to detect and reclaim connections that have exceeded their usage time, and the amount of usage time allowed for a connection. Bea System teaches the deployment descriptor contains connection pool parameters capable of setting parameters selected from the group consisting of: the initial number of managed connections the application server attempts to allocate at deployment time, the maximum number of managed connections the application server allows to be allocated at any one time, the number of managed connections the application server attempts to allocate when filling a request for a new connection, whether the application server attempts to reclaim unused managed connections to save system resources, the time the application server waits between attempts to reclaim unused managed connections, the frequency of time to detect and reclaim connections that have exceeded their usage time, and the amount of usage time allowed for a connection (chapter Configuration, page 5, Listing 2-1 weblogic-ra.xml default values and pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 24, Rana teaches a deployment descriptor for the resource adapter (deployment descriptor; page 6, section “Deployment and packaging protocol”). Rana does not teach the deployment descriptor containing an initiating principal mapping, the mapping capable of being used at deployment time if connection pool parameters indicate that the application server should initialize connections. However, Bea System teaches the deployment descriptor containing an initiating principal mapping, the mapping capable of being used at deployment time if connection pool parameters indicate that the application server should initialize connections (chapter “Configuration”, page 9, section “Configuring the Security Principal

Map”).

As to claim 25, Bea System teaches a security principal map for each deployed resource adapter, the map providing a mechanism to define appropriate resource principal values for resource adapter and Enterprise Information sign-on processing (chapter “Security”, page 2, section “Security Principal Map”).

As to claim 33, Rana as modified by Bea System teach the connection manager creates each of the plurality of managed connections using the initiating principal and client request information contained in the request for a new connection (see Rana, page 4, paragraph 7 and Bea System, chapter Configuration, page 5, Listing 2-1 weblogic-ra.xml default values and pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 34, Rana as modified by Bea System teaches the connection manager attempts to recycle a managed connection from the connection pool if a maximum number of connections are created (see Bea System, chapter “Configuration”, page 8, section “Configurable weblogic-ra.xml Entities”).

As to claim 35, Rana as modified by Bea System teaches the connection manager monitors the activity of managed connections in the connection pool during the deployment of a resource adapter, the connection manager being capable of reducing the size of the connection pool if connection usage decreases and remains at the decreased level over a period of time (see

Bea System, chapter Configuration, page 5, Listing 2-1 weblogic-ra.xml default values and pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 36, Rana as modified by Bea System teaches the connection manager automatically closes a managed connection that has exhausted its usage time (see Bea System, reclaim unused managed connections to save system resource; chapter Configuration, page 5, Listing 2-1 weblogic-ra.xml default values and pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 37, Rana does not teach wherein transaction level type supported by the resource adapter is specified by an element in a deployment descriptor. However, Rana teaches there is a deployment descriptor for a resource adapter (page 6). Bea System teaches wherein transaction level type supported by the resource adapter is specified by an element in a deployment descriptor (see section “Transaction Management”, page 2, chapter “Writing J2EE Connector Architecture – Compliant Resource Adapters”).

As to claim 38, Bea System teaches wherein the transaction level type supported by the resource adapter is specified as XA transaction, local transaction, or no transaction (Level NoTransaction, Level LocalTransaction, Level XATransaction; see section “Transaction Management”, pages 2-3, chapter “Writing J2EE Connector Architecture – Compliant Resource Adapters”).

As to claim 39, Bea System teaches wherein an element in the deployment descriptor sets the frequency for calculating connection pool size reduction (The Time WebLogic Server waits between attempts to reclaim unused managed connections; chapter “Configuration”, page 8, section “Configurable weblogic-ra.xml Entities”).

As to claim 40, Bea System teaches wherein an element in the deployment descriptor sets the frequency for calculating whether a connection has exceeded its usage time (The frequency of time to detect and reclaim connections that have exceeded their usage time; chapter “Configuration”, pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 41, Bea System teaches wherein an element in the deployment descriptor sets the maximum usage time for a connection (The amount of usage time allowed for a connection; chapter “Configuration”, pages 8-9, section “Configurable weblogic-ra.xml Entities”).

As to claim 27, Rana teaches a system for improved implementation of a J2EE connector architecture on an application server, comprising:

- a resource adapter for an Enterprise Information System (resource adapter; page 4, paragraph 3);
- a deployment descriptor containing deployment elements for the resource adapter (The RAR file ... deployment descriptor ... at the deployment time; page 6, section “Deployment and packaging protocol”);

- a set of system-level contracts between the resource adapter and an application server (System contracts; page 4, paragraphs 2-6), the set including a security management contract (security contract; page 4, paragraphs 2-6 and page 5, paragraph 5);
- a Common Client Interface capable of providing a client API for Java applications and development tools to access the resource adapter (Common Client Interface; page 6, section “Common Client Interface”), and
- a set of packaging and development interfaces that provide the ability for resource adapters to plug into J2EE applications in a modular manner (Deployment and packaging protocol; page 6, section “Deployment and packaging protocol”, and section “Development with J2EE Connectors”; and
- the deployment descriptor containing a configuration element for the resource adapter (The RAR file must also contain an additional element called the deployment descriptor. The deployment descriptor is an XML file that ties these elements together and captures the declarative information needed for configuring the adapter to the target operational environment at the deployment time; page 6, section “Deployment and packaging protocol”), the configuration element allowing a user to override default deployment values for the resource adapter (The person responsible for deployment uses a deployment tool to configure the resource adapter in a target operation environment. The configuration of a resource adapter is based on the properties defined in the deployment descriptor; page 6, section “Deployment and packaging protocol”).

Rana does not teach a password converter tool capable of being used with the security management contract to encrypt any passwords in the deployment descriptor. However, Bea System teaches a password converter tool capable of being used with the security management contract to encrypt any passwords in the deployment descriptor (see section “Using the Password Converter Tool”; page 10, chapter “Configuration”).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Bea System to the system of Rana because Bea System provides a details how security management contrast is implemented in the WebLogic.

As to claim 28, Rana does not teach wherein the password converter tool is further adapted to parse an existing deployment descriptor containing non-encrypted passwords and create a new deployment descriptor containing encrypted passwords. However, Bea System teaches wherein the password converter tool is further adapted to parse an existing deployment descriptor containing non-encrypted passwords and create a new deployment descriptor containing encrypted passwords (You must run the provided password converter tool ... new file that you package in the .rar file for deployment to WebLogic Server; chapter “Configuration”, page 10).

#### ***Response to Arguments***

5. Applicant's arguments filed 6/12/2008 have been fully considered but they are not persuasive.

In the remarks, Applicant argued instance that (1) claim 1 and 27 incorporated limitation from claim 29 which was not rejected by any previous rejection before, and claims should be allowable.

Examiner respectfully disagrees with the arguments:

- As to the point (1), examiner agrees that the claim 29 was missed in the previous rejections, however, subject matter of claim 29 regarding “a deployment descriptor containing a configuration element for the resource adapter” is addressed in all the previous actions (see claims 18, 22, 23, 24 and 27), thus, this is not a new subject matter. Furthermore, limitation of claim 29, now added into claims 1 and 27 are taught by both Rara (see rejections of claim 1 and 27 above), and Bea Systems (See sections “Configuring Resource Adapters”, pages 3-6). Therefore, the rejection is maintained and final.

### ***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DIEM K. CAO whose telephone number is (571)272-3760. The examiner can normally be reached on Monday - Friday, 7:30AM - 4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Meng-Ai An/  
Supervisory Patent Examiner, Art Unit 2195

DC  
September 19, 2008